L Number	Hits	Search Text	DB	Time stamp
6	31	@ad<19990819 and client and server and font with match$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:57
7	2	("5533174").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:49
8	2	@ad<19990819 and font with determin$ same image with edit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:17
9	2864	@ad<19990819 and font with determin$ and image nea redit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:17
10	9	@ad<19990819 and font with determin$ and image near edit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:17
-	30111	@ad<19990819 and client and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:06
-	1712	@ad<19990819 and 709/203.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:06
-	12	@ad<19990819 and client and server and font same search and font same transmit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:10
-	33	@ad<19990819 and client and server and font same (reconcil$ or synchroniz$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:17
-	2	@ad<19990819 and client and server and search with (install$ or availab$ or present) with font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:23
-	5	@ad<19990819 and client and server and search with (install$ or availab$ or present) same font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:23
-	166	@ad<19990819 and client and server and font same list and receiv$ and transmi$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:26
-	10	client and server and search with (install$ or availab$ or present) same font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:26
-	21	client and server same search with font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:26

-	394	@ad<19990819 and client and server same font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:26
-	212	@ad<19990819 and client same font and server same font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:27
-	70	@ad<19990819 and client same font and server same font and search and store$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:31
-	34	@ad<19990819 and client and server and font with search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:44
-	3	@ad<19990819 and 709/203.ccls. and font with search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:15
-	0	@ad<19990819 and 709/203.ccls. and font same transmi$ same receiv$ same search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:57
-	1412	@ad<19990819 and (709/203.ccls. or (client and server)) and font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:58
-	105	@ad<19990819 and (709/203.ccls. or (client and server)) and font same (store or stored or storing) same client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:57
-	6	@ad<19990819 and (709/203.ccls. or (client and server)) and font same (store or stored or storing) same client same search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:05
-	0	@ad<19990819 and 709/203.ccls. and 715/542.ccls. and 358/11.15.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:05
-	0	@ad<19990819 and 709/203.ccls. and 715/542.ccls. and 358/1.15.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:06
-	0	@ad<19990819 and 709/203.ccls. and 715/542.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:49
-	367	@ad<19990819 and font and server and client and search and transmit and receive and data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:10
-	362	@ad<19990819 and font and server and client and search and transmit and receive and data and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:11

C:\APPS\EAST\Workspaces\asd.wsp

–	6	@ad<19990819 and font and server and client and search and transmit and receive and data and network and report with fonts	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:20
–	13	@ad<19990819 and font and server and client and search and report with fonts	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 10:43
–	2	("5,533,174").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:05
–	5492	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:06
–	108	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client and server and font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:12
–	21	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client and server and font and search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:20
–	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client and server and font with stored with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:35
–	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client and server and font with stored same client same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:34
–	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and font with stored same client same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:36
–	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and font with search with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:36
–	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and font with search same client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:42
–	4	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and font and client and server and search and receive and transmit and store with client and report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:45
–	2	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and font near list with client and font near list with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:48
–	1756911	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) near fonts with store$ near$ client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:48

C:\APPS\EAST\Workspaces\asd.wsp

–	1756911	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) near fonts with store$ near$ client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:49
–	1756911	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) near font with stored near$ client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:49
–	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) near font with stored near client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:49
–	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) near font with store$ near client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:50
–	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) with font with store$ with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:50
–	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) with font same store$ with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:50
–	18	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) with font same store$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:52
–	261	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) and (font same store$ same server) or (font same store$ same client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:53
–	3	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) and (font same store$ same server) and (font same store$ same client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:56
–	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and server with (search or find) with font near client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:10
–	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client same (transmit or send) with list near font and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:10
–	2	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client same (transmit or send) with list near font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:11
–	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and server same (search or match or compar$) with font and store$ near client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:12
–	2	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and server same (search or match or compar$) with font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:14

C:\APPS\EAST\Workspaces\asd.wsp

-	9	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar$) with font and client and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:28
-	128	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar$) with font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:20
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar$ or reconcil$ or synchroniz$) with font same client same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:29
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar$ or reconcil$ or synchroniz$) same font with client and font with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:30
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar$ or reconcil$ or synchroniz$) same font with client and (358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar$ or reconcil$ or synchroniz$) same font with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:30
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client with (send$ or tramsit$) and list near font and server with (search or match or compar$ or reconcil$ or synchroniz$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:34
-	5	("5138696" | "5167013" | "5206736" | "5293587" | "5301267").PN.	USPAT	2004/08/11 13:31
-	23	5533174.URPN.	USPAT	2004/08/11 13:31
-	18	5533174.URPN. and @ad<19990812	USPAT	2004/08/11 13:34
-	1	@ad<19990819 and client with (send$ or tramsit$) and list near font and server with (search or match or compar$ or reconcil$ or synchroniz$) with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:35
-	7	@ad<19990819 and client with (send$ or tramsit$) and list near font and server with (search or match or compar$ or reconcil$ or synchroniz$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:46
-	79	@ad<19990819 and font with list and client and server and (match or compar$ or reconcil$ or agree or concurr)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:54
-	21	@ad<19990819 and font with list and (client or workstation) same server same (match or compar$ or reconcil$ or agree or concurr)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:54

C:\APPS\EAST\Workspaces\asd.wsp

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	177	server$2 NEAR2 font$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:38
L2	54	1 NEAR20 client$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:38
L3	11	1 NEAR20 client$2 NEAR20 transmit$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:39
L4	5	(font! OR fonts!) NEAR20 client$2 NEAR20 server$2 NEAR20 correspond$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:41
L5	2	((font! OR fonts!) NEAR5 (user$2 OR PC! OR workstation$2 OR client$2)) SAME (server$2 NEAR20 correspond$5 NEAR20 font$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:42
L6	29	((font! OR fonts!) NEAR5 server$2) SAME ((user$2 OR PC! OR workstation$2 OR client$2) NEAR5 ((download$5 OR down-load$5) NEAR20 (server$2 OR correspond$5 OR font$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:53
L7	4	((font! OR fonts!) NEAR5 server$2) SAME (client$2 NEAR5 font$2) SAME capable!	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:54
L8	5	(capable! NEAR5 server$2) SAME (client$2 NEAR5 font$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:54